Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	(((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra$ near4 (writ$3 or record$3 or stor$3)) and diffract$ and phase) and (grating with light with valve)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:52
L2	6	(((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra$ near4 (writ$3 or record$3 or stor$3)) and diffract$ and phase) and ((grating with light with valve) or glv)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:52
L3	457	(((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra$ near4 (writ$3 or record$3 or stor$3)) and diffract$ and phase) and ((pinhole or (pin near3 hole)) or aperture or mask$3 or block$3 or slit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:43
L4	74	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and ((grating with light with valve) or glv)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:53
L5	10	(((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.)) and ((grating with light with valve) or glv)) and hologra$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:53
L6	140	(((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra$ near4 (writ$3 or record$3 or stor$3)) and diffract$ and ((pinhole or (pin near3 hole)) or aperture or mask$3 or block$3 or slit)) and ((block$3 or eliminat$ or remov$3) with order)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:53
L7	283	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.)) and (hologra$ near4 (writ$3 or record$3 or stor$3)) and (diffract$ near4 (grating or (optic$4 with element)))) and phase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:53
L8	16	(hologra$ near4 (writ$4 or record$4 or stor$4)) and ((diffract$ with control5$) or (grating with light with valve)) and ((mov$4 or translat$ or slid$4) with direction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 17:10
L9	198	(hologra$ near4 (writ$4 or record$4 or stor$4)) and ((diffract$ with control5$) or ((grating or diffract$) with light with (valve or deflect$))) and ((mov$4 or translat$ or slid$4 or deflect$) with direction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:32
L10	169	(hologra$ near4 (writ$4 or record$4 or stor$4)) and ((diffract$ with control5$) or ((grating or diffract$) with light with (valve or deflect$))) and display and phase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:54

L11	58	10 and (block$4 with order)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:33
L12	16	(hologra$ near4 (writ$4 or record$4 or stor$4)) and ((diffract$ with control5$) or ((grating or diffract$) with light with (valve or deflect$))) and (reflect$ with diffract$ with display) and phase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 17:08
L13	4	(hologra$ near4 (writ$4 or record$4 or stor$4)) and ((reflect$ with diffract$ with display) same ((mov$4 or translat$ or slid$4 or deflect$) with direction)) and phase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:52
L14	13	(hologra$ near4 (writ$4 or record$4 or stor$4)) and ((reflect$ with diffract$ with display) same phase)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:52
L15	0	(hologra$ near4 (writ$4 or record$4 or stor$4)) and (diffract$ with control5$ with element)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:55
L16	0	(hologra$ near4 (writ$4 or record$4 or stor$4)) and (diffract$ with control5$ with element)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:55
L17	277	(hologra$ near4 (writ$4 or record$4 or stor$4)) and ((diffract$ with control$5) or (grating with light with valve)) and ((mov$4 or translat$ or slid$4) with direction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:57
L18	186	17 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:57
L19	0	18 and phse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:57
L20	118	18 and phase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:57
L21	39	(hologra$ near4 (writ$4 or record$4 or stor$4)) and ((diffract$ with control$5) or ((grating or diffract$) with light with (valve or deflect$))) and (reflect$ with diffract$ with display) and phase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 17:09

L22	11	(hologra$ near4 (writ$4 or record$4 or stor$4)) and ((grating with light with valve) or glv) and ribbon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 17:10
S1	516	((grating near4 light near4 valve) or glv) same (imag$3 or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 08:24
S2	200	((grating near4 light near4 valve) or glv) same (slm or (spatial with light with modulat$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 08:39
S3	2	("5,311,360").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 08:29
S4	45	S2 and hologra$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 08:29
S5	70	((grating near4 light near4 valve) or glv) and (slm or (spatial with light with modulat$)) and hologra$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 08:39
S6	2	("6163391").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 09:49
S7	1104	(hologra$ near4 (writ$3 or record$3 or stor$3)) and phase and (fourier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 09:55
S8	39	S7 and curtis.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 09:56
S9	7	S7 and king.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 09:57

S10	2	("5311360").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/08/02 17:54
S11	279	(359/35).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/08/03 09:29
S12	530	(359/1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/08/03 09:29
S13	176	(359/28).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/08/03 09:29
S14	285	(359/29).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/08/03 09:29
S15	269	(359/30).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/08/03 09:29
S16	322	(359/558).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/08/03 09:29
S17	894	(359/566).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/08/03 09:29
S18	666	(359/569).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/08/03 09:29

S19	326	(359/572).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 09:29
S20	172	(359/573).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 09:29
S21	155	(359/575).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 09:29
S22	3362	((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:52
S23	528	(((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra$ near4 (writ$3 or record$3 or stor$3)) and diffract$ and phase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 15:48
S24	4	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra$ near4 (writ$3 or record$3 or stor$3)) and diffract$ and phase) and (grating with light with valve)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 12:19
S25	5	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra$ near4 (writ$3 or record$3 or stor$3)) and diffract$ and phase) and ((grating with light with valve) or glv)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 12:20
S26	438	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra$ near4 (writ$3 or record$3 or stor$3)) and diffract$ and phase) and ((pinhole or (pin near3 hole)) or aperture or mask$3 or block$3 or slit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 09:44
S27	2	("5986781").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 11:48
S28	3	("3,744,871").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 11:50

S29	2	("3,941,450").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/08/03 11:50
S30	65	(((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (grating with light with valve)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/08/03 12:20
S31	66	(((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and ((grating with light with valve) or glv)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/08/03 12:20
S32	9	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and ((grating with light with valve) or glv)) and hologra$	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/08/03 12:20
S33	599	(((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra$ near4 (writ$3 or record$3 or stor$3)) and diffract$ and ((pinhole or (pin near3 hole)) or aperture or mask$3 or block$3 or slit)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/08/03 12:23
S34	134	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra$ near4 (writ$3 or record$3 or stor$3)) and diffract$ and ((pinhole or (pin near3 hole)) or aperture or mask$3 or block$3 or slit)) and ((block$3 or eliminat$ or remov$3) with order)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/08/03 12:23
S35	268	(((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra$ near4 (writ$3 or record$3 or stor$3)) and (diffract$ near4 (grating or (optic$4 with element))) and phase	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/08/03 14:08
S36	24	(hologra$ near4 (writ$3 or record$3 or stor$3)) and diffract$ and phase and (grating with light with valve)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/08/04 09:54
S37	31	(hologra$ near4 (writ$3 or record$3 or stor$3)) and diffract$ and phase and ((grating with light with valve) or glv)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/08/03 15:55
S38	13	hologra$ and laser and diffract$ and phase and ((grating with light with valve) or glv) and ((block$3 or eliminat$ or remov$3) with order)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/08/03 15:58

S39	697	hologra$ and laser and (diffract$ near4 (grating or (optic$4 with element))) and phase and ((block$3 or eliminat$ or remov$3) with order) and reference and (object or signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/08/03 16:53
S40	19	(hologra$ and laser and (diffract$ near4 (grating or (optic$4 with element))) and phase and ((block$3 or eliminat$ or remov$3) with order) and reference and (object or signal)) and ribbon	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/08/03 16:54
S41	199	hologra$ and laser and (diffract$ near4 (grating or (optic$4 with element))) and (phase near5 control$5) and ((block$3 or eliminat$ or remov$3) with order) and reference and (object or signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/08/03 16:54
S42	651	(hologra$ and laser and (diffract$ near4 (grating or (optic$4 with element))) and phase and ((block$3 or eliminat$ or remov$3) with order) and reference and (object or signal)) and ((pinhole or (pin near3 hole)) or aperture or mask$3 or block$3 or slit)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/08/03 16:55
S43	194	(hologra$ and laser and (diffract$ near4 (grating or (optic$4 with element))) and (phase near5 control$5) and ((block$3 or eliminat$ or remov$3) with order) and reference and (object or signal)) and ((pinhole or (pin near3 hole)) or aperture or mask$3 or block$3 or slit)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/08/03 17:16
S44	86	hologra$ and ((pinhole or (pin near3 hole)) or aperture or mask$3 or block$3 or slit) and ((grating near4 light near4 valve) or glv)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/08/03 17:38
S45	81	((grating near4 light near4 valve) or glv) same ((object or signal) with (light or beam))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/08/04 08:24